

**Plan Change 3C
(Waiwera catchment minimum flow)**

**Regional
Plan: Water
for Otago**

ISBN 978-0-908324-25-5

Table of Contents

Policy 6.4.5 (page 6-21 of Plan*)	2
Rule 12.1.4.2 (page 12-7 of Plan)	4
Schedule 2: Schedule of specified restrictions on the exercise of permits to take surface water (page 20-58 of Plan)	6
Minor and consequential changes	7
Maps: (Maps B13, B15 for) Waiwera River	8

6

Water Quantity



...

6.4 Policies applying to the management of the taking of water

[Index... – Policy 6.4.4 unchanged]

6.4.5 The minimum flows established by Policies 6.4.3, 6.4.4, 6.4.6, 6.4.9 and 6.4.10 will apply to resource consents for the taking of water, as follows:

- (a) In the case of new takes applied for after 28 February 1998, upon granting of the consent; and**
- (b) In the case of any resource consent to take water from within the Taieri above Paerau and between Sutton and Outram, Welcome Creek, Shag, Kakanui, Water of Leith, Lake Hayes, Waitahuna, Trotters, Waianakarua, Pomahaka, Waiwera and Lake Tuakitoto catchment areas as defined in Schedule 2A, subject to the review of consent conditions under Sections 128 to 132 of the Resource Management Act; and**
- (c) ...**

12

Rules: Water Take, Use and Management



...


12.1 The taking and use of surface water

[12.1.1 - 12.1.4.1 unchanged]

- 12.1.4.2 Taking and use of surface water as primary allocation in the following Schedule 2A catchment areas, shown on the B-series maps:
- Kakanui,
 - Lake Hayes,
 - Lake Tuakitoto,
 - Pomahaka,
 - Shag,
 - Taieri Catchment upstream of Paerau,
 - Taieri Catchment Sutton to Outram,
 - Trotters,
 - Waianakarua,
 - Waitahuna,
 - Waiwera,
 - Water of Leith, and
 - Welcome Creek:
- ...

20

Schedules



SCHEDULE 2: SPECIFIED RESTRICTIONS ON THE EXERCISE OF PERMITS TO TAKE WATER

...

2 Schedule of specified restrictions on the exercise of permits to take surface water

...

2A Schedule of specific minimum flows for primary allocation takes in accordance with Policy 6.4.3, and primary allocation limits in accordance with Policies 6.4.2(a) and 6.4.1A

The following schedule:

...

Catchment See the B-series maps	Monitoring Site (with MS number) See the B-series maps	Minimum flow (litres per second – instantaneous flow)	Primary Allocation Limits in accord with Policy 6.4.2(a) (litres per second – instantaneous flow)
Waiwera catchment	Maws Farm (MS 16)	280 (1 October to 30 April) If 280 is breached by taking, flow must return to 310 before taking can recommence. 400 (1 May to 30 September)	150 <i>Waiwera catchment from confluence with Clutha/Mata-Au to headwaters</i>

...

2B Schedule of supplementary allocation blocks and specific minimum flows in accordance with Policy 6.4.9(c)

Catchment (See the B-series maps) & Supplementary Block Number	Minimum Flow (litres per second – instantaneous flow) at the monitoring site(s) (See the B-series maps)	Supplementary Allocation Block (litres per second – instantaneous flow)
Waiwera catchment (first supplementary allocation block)	600 At Maws Farm (MS 16)	100

...

Table of minor and consequential changes

Plan Provision	Detail of proposed change								
Page numbers	Update page numbers.								
Footers	Change footer to read “Regional Plan: Water for Otago (Updated to 1 March 2016)”.								
Title page	Change the date to read “Updated to 1 March 2016”.								
ISBN number	Obtain new ISBN numbers for Regional Plan: Water for Otago..								
Chronicle of key events	<p>Add the following to the end of the table:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #d9d9d9;">Key event</th> <th style="background-color: #d9d9d9;">Date notified</th> <th style="background-color: #d9d9d9;">Date decisions released</th> <th style="background-color: #d9d9d9;">Date operative</th> </tr> </thead> <tbody> <tr> <td>Plan Change 3C (Waiwera catchment minimum flow) to the Regional Plan: Water</td> <td style="text-align: center;">13 December 2014</td> <td style="text-align: center;">8 August 2015</td> <td style="text-align: center;">1 March 2016</td> </tr> </tbody> </table>	Key event	Date notified	Date decisions released	Date operative	Plan Change 3C (Waiwera catchment minimum flow) to the Regional Plan: Water	13 December 2014	8 August 2015	1 March 2016
Key event	Date notified	Date decisions released	Date operative						
Plan Change 3C (Waiwera catchment minimum flow) to the Regional Plan: Water	13 December 2014	8 August 2015	1 March 2016						
section 1.4	<p>...</p> <p>Proposed Plan Change 6A...</p> <p>Proposed Plan Change 3C (Waiwera catchment minimum flow) was notified on 13 December 2014 to introduce a minimum flow and allocation regime with monitoring site for the Waiwera catchment. A total of six submissions and two further submissions were received. Following the hearing, decisions on submissions received were released on 8 August 2015. Plan Change 3C was made operative on 1 March 2016.</p> <p>...</p>								
Tables of contents [<i>on pages viii and 20-2</i>]	Update page numbers, where necessary.								
Map Index (section B)	Update section B maps and Index, as a consequence of the plan change.								

M A P S

Maps: Maps B13 and B15 showing Waiwera catchment and proposed minimum flow site at Maws Farm (MS 16)

Map B - Index: Minimum Flow Catchment Boundaries and Monitoring Sites
B13
B15