

ANALYTICAL REPORT

REPORT DATE 21/07/2025 AR-25-NC-020723-01 REPORT CODE Attention Otago Regional Council Private Bag 1954 9054 DUNEDIN NFW 7FAI AND Phone Copy to: regulatory **Email** Contact for your orders: Order code: EUNZCH-00223480 Shotover WWTP Contract: Submission Reference: **Emergency Discarhe to Shotover River Purchase Order Number:** 817-2025-00069094 SAMPLE CODE GT7800RC Sample Name Sample Reference GT783ORC Reception Date & Time: 14/07/2025 13:55 Reception temperature: 2.1 °C **Analysis Started on:** 15/07/2025 **Analysis Ending Date:** 21/07/2025 **Product Type** Sampler(s) Surface water, raw water Sampled Date & Time 14/07/2025 12:02 **RESULTS** LOQ **®NCOAK** Ammoniacal Nitrogen by Discrete Analyser Ammonia nitrogen 0.01 mg/l *ZMJU7 **Enumeration of Escherichia coli by Membrane Filtration** Escherichia coli cfu/100 ml 1 *NCOAF pH in Water by Manual Electrode (Tested beyond 15 minute APHA holding time) *NC05B Total Biochemical Oxygen Demand (TBOD 5 Days) by Electrode Biochemical oxygen demand mg/l *NCO3M Total Nitrogen in Water by Discrete Analyser (Trace) Total Nitrogen (N) 0.01 *NCO4C Total Oxidised Nitrogen in Water by Discrete Analyser Total Oxidised Nitrogen 0.04 mg/l 0.01 *NC76G Total Phosphorus in Water by Discrete Analyser (Trace)

| SAMPLE CODE | 817-2025-00069095 | | |
|------------------------|--------------------------|------------------------|------------|
| Sample Name | GT779ORC | | |
| Sample Reference | GT7830RC | | |
| Reception Date & Time: | 14/07/2025 13:55 | Reception temperature: | 2.1 °C |
| Analysis Started on: | 15/07/2025 | Analysis Ending Date: | 21/07/2025 |
| Product Type | Surface water, raw water | Sampler(s) | |
| Sampled Date & Time | 14/07/2025 13:05 | | |

mg/l

0.01

25

LOQ

©NCOAK Ammoniacal Nitrogen by Discrete Analyser

*NCOAE Total Suspended Solids in Water by Gravimetry

Total phosphorus

Suspended Solids

Ammonia nitrogen 5.89 mg/l 0.01

0.33

60.2

Eurofins ELS Limited 43 Detroit Drive Rolleston Christchurch 7614 NEW ZEALAND Eurofins ELS Limited 142 Esk Street Invercargill 9810 NEW ZEALAND

RESULTS

Phone (Christchurch) +64 3 343 5227 Phone (Invercargill) www.eurofins.co.nz







mg/l

LOQ

1

0.01

0.01

*ZMJU7 Enumeration of Escherichia coli by Membrane Filtration

Escherichia coli 56 cfu/100 ml

*NCOAF pH in Water by Manual Electrode (Tested beyond 15 minute APHA holding time)

RESULTS

pH 7.2 0.1

*NC05B Total Biochemical Oxygen Demand (TBOD 5 Days) by Electrode

Biochemical oxygen demand

BOD)

*NCO3M Total Nitrogen in Water by Discrete Analyser (Trace)

Total Nitrogen (N) 12.3 mg/l

*NC04C Total Oxidised Nitrogen in Water by Discrete Analyser

Total Oxidised Nitrogen 2.7 mg/l

*NC76G Total Phosphorus in Water by Discrete Analyser (Trace)

Total phosphorus 9.98 mg/l 0.01

*NCOAE Total Suspended Solids in Water by Gravimetry

Suspended Solids 49.4 mg/l 2.5

SAMPLE CODE 817-2025-00069096

Sample Name GT7810RC Sample Reference GT7830RC

 Sample Reference
 GT7830RC

 Reception Date & Time:
 14/07/2025
 13:55

Reception Date & Time: 14/07/2025 13:55 Reception temperature: 2.1 °C

Analysis Started on: 15/07/2025 Analysis Ending Date: 21/07/2025

Product Type Surface water, raw water Sampler(s)

Product Type Surface water, raw water Sampled Date & Time 14/07/2025 12:15

RESULTS LOQ

©*NCOAK Ammoniacal Nitrogen by Discrete Analyser

Ammonia nitrogen 6.49 mg/l 0.01

*ZMJU7 Enumeration of Escherichia coli by Membrane Filtration

Escherichia coli 160 cfu/100 ml 1

*NCOAF pH in Water by Manual Electrode (Tested beyond 15 minute APHA holding time)

pH 7.3

*NC05B Total Biochemical Oxygen Demand (TBOD 5 Days) by Electrode

Biochemical oxygen demand 21 mg/l 2

(BOD)

*NCO3M Total Nitrogen in Water by Discrete Analyser (Trace)

Total Nitrogen (N) 13.3 mg/l 0.01

*NC04C Total Oxidised Nitrogen in Water by Discrete Analyser

Total Oxidised Nitrogen 2.6 mg/l 0.01

*NC76G Total Phosphorus in Water by Discrete Analyser (Trace)

Total phosphorus 4.21 mg/l 0.01

*NCOAE Total Suspended Solids in Water by Gravimetry

Suspended Solids 71.2 mg/l 2.5

SAMPLE CODE 817-2025-00069097

Sample Name GT7820RC Sample Reference GT7830RC

Reception Date & Time:14/07/202513:55Reception temperature:2.1 °CAnalysis Started on:15/07/2025Analysis Ending Date:21/07/2025

Product Type Surface water, raw water Sampler(s)

Sampled Date & Time 14/07/2025 12:25

Eurofins ELS Limited
43 Detroit Drive
Rolleston
Christchurch 7614
NEW ZEALAND

Eurofins ELS Limited
142 Esk Street
Invercargill 9810
NEW ZEALAND

Phone (Christchurch) +64 3 343 5227 Phone (Invercargill) www.eurofins.co.nz







| | | RESUL | _TS | LOQ |
|--------|--|--------------|--------------------|------|
| ®NC0AK | Ammoniacal Nitrogen by | Discrete Ana | alyser | |
| | Ammonia nitrogen | 0.42 | mg/l | 0.01 |
| *ZMJU7 | Enumeration of Escherich | ia coli by M | embrane Filtration | |
| | Escherichia coli | 10 | cfu/100 ml | 1 |
| *NCOAF | pH in Water by Manual Electrode (Tested beyond 15 minute APHA holding time | | | |
| | рН | 7.8 | | 0.1 |
| *NC05B | B Total Biochemical Oxygen Demand (TBOD 5 Days) by Electrode | | | |
| | Biochemical oxygen demand (BOD) | <2 | mg/l | 2 |
| *NC03M | Total Nitrogen in Water by | Discrete Ar | nalyser (Trace) | |
| | Total Nitrogen (N) | 0.89 | mg/l | 0.01 |
| *NC04C | Total Oxidised Nitrogen in | Water by D | iscrete Analyser | |
| | Total Oxidised Nitrogen | 0.19 | mg/l | 0.01 |
| *NC76G | Total Phosphorus in Wate | r by Discret | e Analyser (Trace) | |
| | Total phosphorus | 0.69 | mg/l | 0.01 |
| *NCOAE | Total Suspended Solids in | Water by G | ravimetry | |
| | Suspended Solids | 78.3 | mg/l | 2.5 |

| SAMPL | E CODE | 817-2025-00069098 | 3 | | | | |
|-------------------------------------|---|--|------------|--|----------------------|--|--|
| Recepti | Name Reference on Date & Time: s Started on: | GT7840RC GT7830RC 14/07/2025 13:55 15/07/2025 | | Reception temperature: Analysis Ending Date: | 2.1 °C 21/07/2025 | | |
| Product Type Sampled Date & Time | | Surface water, raw water 14/07/2025 12:45 | | Sampler(s) | | | |
| | | RESULTS | | LOQ | | | |
| ® NCOAK | OAK Ammoniacal Nitrogen by Discrete Analyser | | | | | | |
| | Ammonia nitrogen | 0.31 | mg/l | 0.01 | | | |
| *ZMJU7 | U7 Enumeration of Escherichia coli by Membrane Filtration | | | | | | |
| | Escherichia coli | 1 | cfu/100 ml | 1 | | | |
| *NCOAF | pH in Water by Manual Electrode (Tested beyond 15 minute APHA holding time) | | | | | | |

| BINCOAK | Animomacai Nitrogen by Discrete Analyser | | | | | |
|---------|---|------|------------|------|--|--|
| | Ammonia nitrogen | 0.31 | mg/l | 0.01 | | |
| *ZMJU7 | Enumeration of Escherichia coli by Membrane Filtration | | | | | |
| | Escherichia coli | 1 | cfu/100 ml | 1 | | |
| *NCOAF | pH in Water by Manual Electrode (Tested beyond 15 minute APHA holdi | | | | | |
| | pH | 7.5 | | 0.1 | | |
| *NC05B | Total Biochemical Oxygen Demand (TBOD 5 Days) by Electrode | | | | | |
| | Biochemical oxygen demand (BOD) | <2 | mg/l | 2 | | |
| *NC03M | Total Nitrogen in Water by Discrete Analyser (Trace) | | | | | |
| | Total Nitrogen (N) | 0.84 | mg/l | 0.01 | | |
| *NCO4C | Total Oxidised Nitrogen in Water by Discrete Analyser | | | | | |
| | Total Oxidised Nitrogen | 0.47 | mg/l | 0.01 | | |
| *NC76G | Total Phosphorus in Water by Discrete Analyser (Trace) | | | | | |
| | Total phosphorus | 0.23 | mg/l | 0.01 | | |
| *NCOAE | Total Suspended Solids in Water by Gravimetry | | | | | |
| | Suspended Solids | 10.9 | mg/l | 2.5 | | |
| | | | | | | |







SAMPLE CODE 817-2025-00069099

Sample Name GT7830RC Sample Reference GT7830RC

Reception Date & Time:14/07/2025 13:55Reception temperature:2.1 °CAnalysis Started on:15/07/2025Analysis Ending Date:21/07/2025

Product Type Surface water, raw water

Sampled Date & Time 14/07/2025 11:30

RESULTS LOQ

Sampler(s)

NCOAK Ammoniacal Nitrogen by Discrete Analyser

Ammonia nitrogen <0.01 mg/l 0.01

*ZMJU7 Enumeration of Escherichia coli by Membrane Filtration

Escherichia coli 4 cfu/100 ml 1

*NCOAF pH in Water by Manual Electrode (Tested beyond 15 minute APHA holding time)

pH 7.7 0.1

*NC05B Total Biochemical Oxygen Demand (TBOD 5 Days) by Electrode

Biochemical oxygen demand <2 mg/l

(BOD)

*NCO3M Total Nitrogen in Water by Discrete Analyser (Trace)

Total Nitrogen (N) 0.07 mg/l 0.01

*NCO4C Total Oxidised Nitrogen in Water by Discrete Analyser

Total Oxidised Nitrogen 0.04 mg/l 0.01

*NC76G Total Phosphorus in Water by Discrete Analyser (Trace)

Total phosphorus 0.39 mg/l 0.01

*NCOAE Total Suspended Solids in Water by Gravimetry

Suspended Solids 405 mg/l 2.5

LIST OF METHODS

NC03M Total Nitrogen in Water by Discrete Analyser (Trace): NC04C Total Oxidised Nitrogen in Water by Discrete Analyser:

APHA Online Edition 4500-P J/4500-NH APHA Online Edition 4500-NO3 H

NC05B Total Biochemical Oxygen Demand (TBOD 5 Days) by NC0AE Total Suspended Solids in Water by Gravimetry: APHA

Electrode: APHA Online Edition 5210 B Online Edition 2540 D

NC0AF pH in Water by Manual Electrode (Tested beyond 15 NC0AK Ammoniacal Nitrogen by Discrete Analyser: ISBN

minute APHA holding time): APHA 24th Edition 4500-H B 0117516139 mod.

NC76G Total Phosphorus in Water by Discrete Analyser ZMJU7 Escherichia coli E [IVC] <1 >8 000 cfu/100 ml (0) mTEC

(Trace): APHA Online Edition 4500-P B/J mod. Agar-F: US-EPA 1603:2014

Signature



EXPLANATORY NOTE









- Test is not accredited
- 2 Test is subcontracted within Eurofins group and is accredited
- 3 Test is subcontracted within Eurofins group and is not accredited
- Test is subcontracted outside Eurofins group and is accredited
- Test is subcontracted outside Eurofins group and is not accredited
- Test result is provided by the customer and is not accredited
- Tested at the sampling point by Eurofins and is not accredited
- Tested at the sampling point by Eurofins and is accredited
- Test is RLP accredited
- 10 Test is subcontracted within Eurofins group and is RLP accredited
- *Test was performed at Eurofins ELS Limited, 142 Esk Street, Invercargill

N/A means Not Applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

- x (Unsatisfactory) means does not meet the specification
- ✓ (Satisfactory) means meets the specification

MAV means Maximum Allowable Value

The Customer acknowledges and accepts that: (a) where Eurofins is not responsible for sampling, the test result(s) in this report apply only to the sample as received. Customer is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the product.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 43 Detroit Drive, Rolleston, Christchurch, NEW ZEALAND. The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice. The Eurofins water sampling service follows methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples. The Customer acknowledges that the Services are provided using the current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

The Customer shall not alter any report or other Output provided to the Customer by Eurofins or misrepresent the contents of such Outputs in any way. The Customer shall be entitled to make copies for its internal purposes only.

The Customer may only reproduce or publish any report or document provided to the Customer by Eurofins in full without alteration. Eurofins' name, logo or service marks, or any other means of identification cannot be used in any publication by the Customer, unless the Customer has obtained the prior written consent of Eurofins. Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer. Eurofins General Terms and Conditions apply.

END OF REPORT

EUROFINS ELS LIMITED IS A MINISTRY FOR PRIMARY INDUSTRIES RECOGNISED LABORATORY UNDER SECTION 101 OF THE ANIMAL PRODUCTS ACT:1999.



