

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE

AR-25-NC-007758-01

REPORT DATE

18/03/2025

Attention Otago Regional Council

Private Bag 1954
9054 DUNEDIN
NEW ZEALAND

Phone

Email

Copy to: compliance regulatory

Contact for your orders:

Contract: Incident Response

Submission Reference: IN24.0004 Shotover WWTP

Order code:

EUNZCH-00210500

Purchase Order Number:

SAMPLE CODE

817-2025-00025669

Sample Name

path ponding

Sample Reference

IN24.0004K - Ponding Next to cycle path shotover WWTP

Reception Date & Time:

11/03/2025 12:16

Reception temperature:

17.6 °C

Analysis Started on:

12/03/2025

Analysis Ending Date:

18/03/2025

Product Type

Surface Water

Sampled Date & Time

11/03/2025 10:59

Sampler(s)

RESULTS

LOQ

*ZMJU7	Enumeration of Escherichia coli by Membrane Filtration			
	Escherichia coli	250	cfu/100 ml	1
*NC05B	Total Biochemical Oxygen Demand (TBOD 5 Days) by Electrode			
	Biochemical oxygen demand (BOD)	100	mg/l	2
*NC03M	Total Nitrogen in Water by Discrete Analyser (Trace)			
	Total Nitrogen (N)	30.7	mg/l	0.01
*NCOAE	Total Suspended Solids in Water by Gravimetry			
	Suspended Solids	1420	mg/l	2.5

SAMPLE CODE

817-2025-00025670

Sample Name

Post UV Final

Sample Reference

IN24.0004J - Shotover WWTP Post UV Final Effluent

Reception Date & Time:

11/03/2025 12:16

Reception temperature:

17.6 °C

Analysis Started on:

12/03/2025

Analysis Ending Date:

18/03/2025

Product Type

Effluent (waste)

Sampled Date & Time

11/03/2025 11:39

Sampler(s)

RESULTS

LOQ

*ZMJU7	Enumeration of Escherichia coli by Membrane Filtration			
	Escherichia coli	4	cfu/100 ml	1
*NC05B	Total Biochemical Oxygen Demand (TBOD 5 Days) by Electrode			
	Biochemical oxygen demand (BOD)	12	mg/l	2
*NC03M	Total Nitrogen in Water by Discrete Analyser (Trace)			
	Total Nitrogen (N)	15.3	mg/l	0.01
*NCOAE	Total Suspended Solids in Water by Gravimetry			
	Suspended Solids	18.3	mg/l	2.5

Food & Water Testing

LIST OF METHODS

NC03M	Total Nitrogen in Water by Discrete Analyser (Trace): APHA Online Edition 4500-P J/4500-NH	NC05B	Total Biochemical Oxygen Demand (TBOD 5 Days) by Electrode: APHA Online Edition 5210 B
NC0AE	Total Suspended Solids in Water by Gravimetry: APHA Online Edition 2540 D	ZMJU7	Escherichia coli E (Water) [NZ Water] <1 >8 000 /100 ml (0) mTEC Agar-F: US-EPA 1603:2014

Signature

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited
- ⑨ Test is RLP accredited
- ⑩ Test is subcontracted within Eurofins group and is RLP accredited
- *Test was performed at Eurofins ELS Limited, 142 Esk Street, Invercargill

N/A means Not Applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

✗ (Unsatisfactory) means does not meet the specification

✓ (Satisfactory) means meets the specification

MAV means Maximum Allowable Value

The Customer acknowledges and accepts that: (a) where Eurofins is not responsible for sampling, the test result(s) in this report apply only to the sample as received. Customer is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the product.

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 43 Detroit Drive, Rolleston, Christchurch, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Eurofins water sampling service follows methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT