

Verification:

with flanges to allow an independent meter to be inserted in-law

Installation/Commissioning

Form RS1 Piped takes, water meter, datalogger installation/commissioning and verification.

This form must be completed by the installer or verifier of the installation and attached with requested photographs then returned to watermetering@orc.govt.nz

mstattation, commissioning.						
RESOURCE CONSENT AND LO	CATION DETAI	LS				
Consent Number:						
Consent Holder's Name:						
Address of take:						
GPS Meter Location (NZTM)	Easting:		Northing:			
GPS Water Take Location(NZTM)	Easting:		Northing:			
Location Description:						
Well Number:			Well tag attached:	Yes	No	
WM Number:			Date of Verification:			
PIPE DETAILS						
Pipe Internal Diameter:		mm	Pipe External Diameter:			mm
Pipe Wall Thickness:		mm	Pipe Material:			
Distance of straight unobstructed pipe upstream of water meter mm						
Distance of straight unobstructed pipe downstream of water meter					mm	
Has the installation been set up to allow for a flow rig to be used? Yes No						
FOR NEW/REPLACEMENT INSTALL and downstream of meter and other info				ght length of pir	peupstream	
Installation should include a suitable pipe to allow the appropriate use of a portable clamp-on independent meter; or a section of pipe						

ULTRASONIC METERS ONLY

Transducer Size:

Transducer Spacing:

Transducer Mounting: Reflect: Direct:

METER DETAILS

Model: Pulse Output Units:

Make: Pulse per m3:

Serial Number:

Installer: Start Meter Reading Volume:

DATALOGGER DETAILS

Installed: Yes No Telemetry installed for consent compliance: Yes No

Model: Telemetered daily to ORC: Yes No

Make: Data Hosted By:

Serial Number:

REFERENCE METER CONFIGURATION

Equipment Used:

Reference Meter: Serial Number:

Size: Volume Per Pulse:

Last Certified:

Please provide details of the verification method used

ACCURACY DETAILS

Do you have the water meter calibration certificate

Yes

No (If Yes, please submit the certificate)

Has the meter been checked against a portable water meter? Yes No

MEASURED FLOWS

Verification test should be conducted for the typical flow rate of the system with a minimum 3 replicates, and record and complete the meter comparison in the table below.

The verification test volume and duration should be sufficient so that they do not influence the test uncertainty. If a change in set-up is required please carry out all 5 runs, and comment in the comment section explaining the change and the reason.

Run 1 2 3 5 6 Duration Test Meter Volume (Vtest) (m3) Reference Volume (Vref) (m3) Flow Rate for Test (Oref) (m3/sec) **Meter Comparison** ((Vtest – Vref)/vtest) x 100 - (%) Final Meter Time Average (%) Reading Why were these extra tests carried out at these limits?

Comment: e.g note if they have had to change the set-up, if there are some other factors are occurring at the time. Please provide explanation of any results over 5%.

Please provide photographs; of the verification meter installation and of the test meter, meter reading before and after the test

INSERTION METER ONLY

Insertion Depth:

K-Factor:

CERTIFICATION

I/we certify that the above water meter/measuring device has been verified and the measured flow is within 5% of the verification device

I/we have found that the installed water meter/measuring device deviates more than 5% from the verified flow.

Recommend remedial action:

This certificate is valid for 5 years from the date of issue, or as required by consent conditions, whichever the shortest time frame, and is subject to on-going surveillance.

It is the requirement of this certificate that you inform the Consenting Authority of any adjustment/modification to the measuring device OR of its installation.

Verified by Signature:

Company Date:

Is the person/company accredited by the National Water Measurement and Reporting - Industry Accreditation Program?

Yes No