Gibson's albatross Toroa

Otago Regional Council

Diomedea antipodensis gibsoni



Conservation status

A bit about me ...

Regional | Migrant | National | Threatened: Critical



Main threats

Fisheries competition and bycatch, climate change, pollution



Length:



Weight: 4.5–8.5 kg





Migratory range



Regular visitor to mainland Aotearoa New Zealand waters. Breeds on the subantarctic Maungahuka / Motu Maha / Auckland Islands and ranges throughout the Southern Ocean.



Key Otago sites:

- Otago canyons, particularly in winter
- Rarely seen inshore



New Zealand endemic

A large, pink-billed seabird that ranges from chocolate brown to white in colour as it ages. The tail and crown whiten completely while the majority of the upperwings remain dark brown. Wingspan can reach over three metres. A long, hooked bill helps it seize squid. Courtship routine is elaborate and involves dancing, screaming and bill-clapping.

New Zealana enaemic

ie, Otago Regional Council:

Southern royal albatross / toroa



Antipodean albatross / toroa, which is typically smaller and darker



Similar birds:

Northern royal albatross / toroa

Scott Jarvie, **Otago Regional Council**: conception and editing; Oscar Thomas, **@oscarkokako**: research, text and photographs; Alice Waterman and Craig Scott, **Tūhura Otago Museum**: editing and design. 2025